

◆ 4.8T



RIBCRAFT 4.8T

LOA: 15'7" | Max People: 6 | Max HP: 70

The RIBCRAFT 4.8T combines superior handling with yacht-like features for comfort and on water enjoyment. Offering the refinements of a yacht tender and the comforts of a runabout without sacrificing performance, the 4.8T is a true sport boat. With RIBCRAFT's deep v hull and pronounced forefoot, the 4.8T steps onto a plane with virtually no bow rise and confidently handles rough conditions with ease. Whether you're looking for the perfect yacht tender or a comfortable runabout that's fun to drive, the RIBCRAFT 4.8T has you covered.



RIBCRAFT ✦

*All specs, equipment and options subject to change without notice. †LOA and beam may vary slightly based on inflation pressure of the tube. *Additional dimensions/specs available on request.



| | |
|--------------------------|-------------------|
| LOA: | 15'7" |
| Beam: | 6'11" |
| Weight (w/out engine): | 685 lbs |
| Dead rise aft: | 23° |
| Dead rise forward: | 43° |
| Tube diameter: | 18" |
| Internal length on deck: | 11'10" |
| Internal beam on deck: | 4'1" |
| Draft (w/out engine): | 12" |
| Maximum people: | 6 |
| Max HP: | 70 |
| Fuel capacity: | 6.6 gal* |
| Tube: | 1670 dtx Hypalon® |
| Chambers: | 5 |
| Pressure relief valves: | 5 |

4.8 Standard Equipment
 Console with attached pod seat and backrest, console grab handle, cable steering, anchor locker, bow cleat, bow eye, stern tie down eyes, electrical panel, battery, battery switch, navigation lights, compass, electric bilge pump, light or dark grey Hypalon tube, heavy duty rubstrake, and lifelines.

*optional internal 16 gal. tank available



| | |
|--------------------------|-------------------|
| LOA: | 15'7" |
| Beam: | 6'11" |
| Weight (w/out engine): | 685 lbs |
| Dead rise aft: | 23° |
| Dead rise forward: | 43° |
| Tube diameter: | 18" |
| Internal length on deck: | 11'10" |
| Internal beam on deck: | 4'1" |
| Draft (w/out engine): | 12" |
| Maximum people: | 6 |
| Max HP: | 70 |
| Fuel capacity: | 6.6 gal* |
| Tube: | 1670 dtx Hypalon® |
| Chambers: | 5 |
| Pressure relief valves: | 5 |

4.8T Standard Equipment
 Offset center console with full width bench seat complete with backrest and storage, console grab handle, cable steering, bow seat with anchor locker, bow eye, bow cleat, stern tie down eyes, lifting points, electrical panel, battery, battery switch, navigation lights, compass, electric bilge pump, white or light grey Hypalon J-Tube, heavy duty rubstrake, and lifelines.

*optional internal 16 gal. tank available



| | |
|--------------------------|-------------------|
| LOA: | 19'4" |
| Beam: | 8' |
| Weight (w/out engine): | 1295 lbs |
| Dead rise aft: | 22° |
| Dead rise forward: | 43° |
| Tube diameter: | 20" |
| Internal length on deck: | 14'9" |
| Internal beam on deck: | 5'1" |
| Draft (w/out engine): | 14" |
| Maximum people: | 10 |
| Max HP: | 135 |
| Fuel capacity: | 46 gal |
| Tube: | 1670 dtx Hypalon® |
| Chambers: | 5 |
| Pressure relief valves: | 5 |

5.85 Standard Equipment
 Center console with front bench seat, leaning post, windscreen with grab rail, cable steering, anchor locker, bow eye, bow cleat, stern tie down eyes, electrical panel, battery, battery switch, navigation lights, compass, electric bilge pump, light or dark grey Hypalon tube, heavy duty rubstrake, tube grab handles, and lifelines.



| | |
|--------------------------|-------------------|
| LOA: | 21'5" |
| Beam: | 8'5" |
| Weight (w/out engine): | 1,365 lbs |
| Dead rise aft: | 25° |
| Dead rise forward: | 44° |
| Tube diameter: | 20" |
| Internal length on deck: | 16'4" |
| Internal beam on deck: | 5'6" |
| Draft (w/out engine): | 16" |
| Maximum people: | 12 |
| Max HP: | 180 |
| Fuel capacity: | 60 gal |
| Tube: | 1670 dtx Hypalon® |
| Chambers: | 5 |
| Pressure relief valves: | 5 |

6.5 Standard Equipment
 Center console with front bench seat, leaning post, windscreen with grab rail, hydraulic steering, anchor locker, bow eye, bow cleat, stern tie down eyes, electrical panel, battery, battery switch, navigation lights, compass, electric bilge pump, light or dark grey Hypalon tube, heavy duty rubstrake, tube grab handles, and lifelines.

Optional Equipment

Seating

Pod seating

Two person bench seat

Three person bench seat with integrated cooler

Forward bench seat (4.8T only)



Two person bench seat



Three person bench seat with integrated cooler



Forward bench seat (4.8T only)

Arches & Tops

Antenna arch

Antenna arch with integrated swim ladder

T-Top

T-Top courtesy upgrade

Rod holders

Foldable sun bimini



Antenna arch



Antenna arch with integrated swim ladder



T-Top

Accessories

Bow rail (4.8, 4.8T only)

Internal fuel tank (4.8, 4.8T only)

Tow post (fore/aft)

Transom bollards

Lifting points

Teak deck

Tow eyes

Keel guard



Bow rail (4.8, 4.8T only)



Tow post



Transom bollards

Tube Options

Boarding wear patches

Tube grab handles

Paddle/hook retainers

Swim ladder

Bow chock

Grey rubstrake



Boarding wear patches



Tube grab handles



Swim ladder

Various tube and hull colors include: Light Grey, Dark Grey, White, Blue, Cream, Black, Red, Yellow, Orange. Electronics, lighting, and navigation packages available.

With accessory choices, console and seating configurations, propulsion options, and a variety of navigation and communication equipment, all models can be personalized to you.